

**MATERIAL SAFETY DATA SHEET**

|  |  |  |                    |
|--|--|--|--------------------|
| Product Name (As used on label & list):<br>ODOR PRO  |  | Description:<br>Odor Neutralizer   |                    |
| HMIS RATING  |  | HAZARD RATINGS   |                    |
| Health: 0  | Flammability: 0  | Reactivity: 0  | Pers. Prot.: B     |
|  |  | 0 = Insignificant<br>1 = Slight<br>2 = Moderate<br>3 = High<br>4 = Extreme   |                    |
| SECTION I  |  |  |                    |
| Manufacturer's Name:<br>CFR, A Tacony Company  |  | Emergency Telephone Number:<br>1-800-424-9300  |                    |
| Address (number, street, city, state, zip code):<br>3101 Wichita Court<br>Fort Worth TX 76140-1710   |  | Telephone Number for information:<br>800-880-2913 or Website: <a href="http://www.cfrcorp.com">www.cfrcorp.com</a> |                    |
|  |  | DATE PREPARED/REVISED:   | September 23, 2002 |
| SECTION II<br>Hazardous Ingredients - Identity Information   |  |  |                    |
| The criteria for listing components in this section is as follows: Carcinogens are listed components which are otherwise hazardous according to OSHA are listed when present at 1.0% components are not listed. This is not a complete composition disclosure. |  |  |                    |
| Hazardous Components (specific chemical identity - CAS common name)  | OSHA NUMBER  | ACGIH PEL  | TLV % (optional)   |
| None by OSHA Definition 29CFR1910.1200   |  |  |                    |
| SECTION III<br>Physical/Chemical characteristics   |  |  |                    |
| Boiling Point: 212°F   | Vapor Pressure (mm Hg.): <30   | Vapor Density (AIR =1): <1   |                    |
| Melting Point: 32°F  | Specific Gravity (H2O=1): 1.05   | Evaporation Rate (butyl Acetate=1): <Ether   |                    |
| Solubility in Water: 100% completely miscible  |  |  |                    |
| Appearance & Odor: Colorless - Fresh Odor  |  |  |                    |
| SECTION IV<br>Fire and Explosion Hazard Data   |  |  |                    |
| Flash Point (Method used): N/A   | Flammable Limits: No   |  |                    |
| LEL: N/A   | UEL: N/A   |  |                    |
| Extinguishing Media: CO2, H2O, Dry Chemicals   |  |  |                    |
| Special Fire Fighting Procedures:  | Use Self-contained, breathing apparatus. Wear full protective clothing. Cool fire exposed containers and structures. |  |                    |
| Unusual Fire and Explosion Hazards: None   |  |  |                    |
| SECTION V<br>Reactivity Data   |  |  |                    |
| Stability: Yes   | Unstable/Stable: Stable  |  |                    |
| Conditions to Avoid:   |  |  |                    |
| Incompatibility (Materials to avoid): Strong acids   |  |  |                    |
| Hazardous Decomposition or By-product: Thermal decomposition may yield chlorine dioxide  |  |  |                    |
| Hazardous Polymerization:  | May Occur:   | Will not occur:  | XXXXX<br>X         |
| ODOR PRO Continued   |  |  |                    |
| SECTION VI<br>Health Hazard Data   |  |  |                    |
| Route(s) of Inhalation: Yes  | Skin?: No  | Ingestion Yes  | Eyes? Yes          |

Respiratory Irritation, Cough and

Chronic):

|                    |          |                      |                     |
|--------------------|----------|----------------------|---------------------|
| Carcinogenict None | NTP?: No | LARC Monographs?: No | OSHA Regulated?: No |
|--------------------|----------|----------------------|---------------------|

Signs and Symptoms of Exposure: Mild ocular irritant. May cause gastrointestinal irritation. Prolonged exposure in poorly ventilated area may cause irritation, headache.

Medical Condition Generally Aggravated by Exposure: None

Emergency and First Aid Procedures: If eye contact occurs, Flush with running water for at least 15 minutes. If irritation persists, seek medical attention immediately. If swallowed, rinse mouth with water immediately. If skin contact occurs, rinse thoroughly with cold running water.

SECTION VII  
Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled: Dike area and collect large spill with water. Ventilate area before clean-up. Remove with inert absorbent.

Waste Disposal Method: In accordance with local, state and federal regulations.

Precautions to Be Taken in Handling and Storing: Store in cool, dry place. Keep away from

Other Precautions:

SECTION VIII  
Control Measures

Respiratory Protection (Specify None required for normal use. Type):

|                |                    |             |
|----------------|--------------------|-------------|
| VentilationN/A | Local Exhaust: N/A | Special N/A |
|----------------|--------------------|-------------|

|                       |            |        |
|-----------------------|------------|--------|
| Mechanical (General): | Acceptable | Other: |
|-----------------------|------------|--------|

|                    |                           |                 |                                  |
|--------------------|---------------------------|-----------------|----------------------------------|
| Protective Gloves: | Rubber for prolonged use. | Eye Protection: | Eye bath, Goggles if slashing is |
|--------------------|---------------------------|-----------------|----------------------------------|

Other Protective Clothing or Equipment: None normally required.

Work/Hygienic Practices: Wash after handling