

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 02-Jul-2018

# **1. PRODUCT AND COMPANY IDENTIFICATION**

| Product Identifier<br>Product Name:   | STERIPHENE II BRAND DISINFECTANT DEODORANT CLEAN FRESH<br>FRAGRANCE   |  |  |  |
|---|---|--|--|--|
| Product Number:<br>Recommended Use:<br>Uses Advised Against:  | 6081<br>Disinfectant<br>For Industrial and Institutional Use Only   |  |  |  |
| Manufacturer/Supplier:  | Spartan Chemical Company, Inc.<br>1110 Spartan Drive<br>Maumee, Ohio 43537 USA<br>800-537-8990 (Business hours)<br>www.spartanchemical.com  |  |  |  |
| 24 Hour Emergency Phone Number<br>Medical Emergency/Information:<br>Transportation/Spill/Leak:                | r <b>s:</b><br>888-314-6171<br>CHEMTREC 800-424-9300  |  |  |  |
|   | 2. HAZARDS IDENTIFICATION   |  |  |  |
| <b>GHS Classification</b><br>Serious Eye Damage/Eye Irritation:<br>Flammable Aerosols<br>Gases Under Pressure | Category 2A<br>Category 1<br>Liquefied gas  |  |  |  |
| <u>GHS Label Elements</u><br>Signal Word:<br>Symbols:   | Danger  |  |  |  |
| Hazard Statements:  | Causes serious eye irritation<br>Extremely flammable aerosol.<br>Contains gas under pressure; may explode if heated   |  |  |  |
| <u>Precautionary Statements:</u><br>Prevention:   | Wash hands and any exposed skin thoroughly after handling.<br>Wear eye / face protection  |  |  |  |
| Response:<br>-Eyes  | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |  |  |  |
| -Specific Treatment:  | See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.   |  |  |  |
| Storage:  | Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C) Store in a well-ventilated place  |  |  |  |
| Disposal:<br>Hazards Not Otherwise Classified:  | Not Applicable Not Applicable   |  |  |  |

#### Other Information:

- May be harmful if swallowed.
- May cause skin irritation.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children.

# **3. COMPOSITION / INFORMATION ON INGREDIENTS**

| Chemical Name  | CAS No    | Weight-% |
|----------------|-----------|----------|
| Ethanol        | 64-17-5   | 40-70    |
| Water          | 7732-18-5 | 10-30    |
| Propane        | 74-98-6   | 7-13     |
| Butane         | 106-97-8  | 5-10     |
| Chlorophene    | 120-32-1  | <0.1     |
| o-Phenylphenol | 90-43-7   | <0.1     |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

| -Eye Contact:<br>-Skin Contact:<br>-Inhalation:<br>-Ingestion:<br>Note to Physicians:                             | Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and<br>easy to do. Continue rinsing. If eye irritation persists: Get medical attention.<br>Wash with soap and water. If skin irritation occurs: Get medical attention.<br>Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a<br>poison control center or physician if you feel unwell.<br>Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious<br>person. Get medical attention if you feel unwell.<br>NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric<br>lavage. |
|---|---|
|   | 5. FIRE-FIGHTING MEASURES   |
| Suitable Extinguishing Media:<br>Specific Hazards Arising from the<br>Chemical:<br>Hazardous Combustion Products: | Water spray (fog), Foam<br>Extremely flammable aerosol. Exposure to high temperature may cause containers to burst.<br>Bursting aerosol containers may be propelled from fire at high speed.<br>May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.   |

Protective Equipment and<br/>Precautions for Firefighters:Water may be used to cool closed containers to prevent pressure build-up and possible<br/>auto ignition or explosion when exposed to extreme heat.

# 6. ACCIDENTAL RELEASE MEASURES

| Personal Precautions:<br>Environmental Precautions: | Use personal protective equipment as required. Remove all sources of ignition. Do not rinse spill onto the ground, into storm sewers or bodies of water.                        |
|---|---|
| Methods for Clean-Up:                               | Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) |
|   | and place in container for disposal according to local / national regulations (see Section 13).   |

# 7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after handling.

## Storage Conditions:

NFPA 30B Level 2 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°. Exposure to high temperature may cause containers to burst. Keep out of the reach of children.

Suggested Shelf Life:

1 year from date of manufacture.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## Occupational Exposure Limits:

| Chemical Name  | ACGIH TLV   | OSHA PEL   | NIOSH  |  |
|--|---|--|--|--|
| Ethanol<br>64-17-5   | STEL: 1000 ppm  | TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup><br>(vacated) TWA: 1000 ppm<br>(vacated) TWA: 1900 mg/m <sup>3</sup> | IDLH: 3300 ppm<br>TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup> |  |
| Propane<br>74-98-6   | : See Appendix F: Minimal<br>Oxygen Content   | TWA: 1000 ppm<br>TWA: 1800 mg/m <sup>3</sup><br>(vacated) TWA: 1000 ppm<br>(vacated) TWA: 1800 mg/m <sup>3</sup> | IDLH: 2100 ppm<br>TWA: 1000 ppm<br>TWA: 1800 mg/m <sup>3</sup> |  |
| Butane<br>106-97-8   | STEL: 1000 ppm  | (vacated) TWA: 800 ppm<br>(vacated) TWA: 1900 mg/m <sup>3</sup>  | TWA: 800 ppm<br>TWA: 1900 mg/m <sup>3</sup>                    |  |
| Engineering Controls:<br>Personal Protective Equipment                       | Provide good general ventilation<br>If work practices generate dust<br>chemicals above the occupation<br>engineering controls should be   | t, fumes, gas, vapors or mists v<br>onal exposure limits, local exha   |  |  |
| Eye/Face Protection:<br>Skin and Body Protection:<br>Respiratory Protection: | Wear splash goggles.<br>Wear rubber or other chemical-resistant gloves.<br>Not required with expected use.<br>If occupational exposure limits are exceeded or respiratory irritation occurs, use of a<br>NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section<br>3 should be considered. |  |  |  |
| General Hygiene Considerations:  | <ul> <li>Wash hands and any exposed skin thoroughly after handling.</li> <li>See 29 CFR 1910.132-138 for further guidance.</li> </ul>   |  |  |  |

# 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance/Physical State:      | Aerosol                                     |
|---------------------------------|---|
| Color:                          | Light yellow                                |
| Odor:                           | Citrus fragrance                            |
| pH:                             | 8.0-9.0                                     |
| Melting Point / Freezing Point: | No information available.                   |
| Boiling Point / Boiling Range:  | 74 °C / 165 °F (Product without propellant) |
| Flash Point:                    | < -18 °C / < 0 °F (Propellant-estimated)    |
| Evaporation Rate:               | 1.5 (Butyl acetate = 1)                     |
| Flammability (solid, gas)       | No information available.                   |
| Upper Flammability Limit:       | No information available.                   |
| Lower Flammability Limit:       | No information available.                   |
| Vapor Pressure:                 | No information available.                   |
| Vapor Density:                  | No information available.                   |
| Specific Gravity:               | 0.84 (Product without propellant)           |
| Solubility(ies):                | Soluble in water                            |
| Partition Coefficient:          | No information available.                   |
| Autoignition Temperature:       | No information available.                   |
| Decomposition Temperature:      | No information available.                   |
| Viscosity:                      | No information available.                   |

# **10. STABILITY AND REACTIVITY**

Reactivity: Chemical Stability: This material is considered to be non-reactive under normal conditions of use. Stable under normal conditions.

Conditions to Avoid: **Incompatible Materials: Hazardous Decomposition** Products:

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage. Extremes of temperature and direct sunlight. Strong oxidizing agents. Strong acids. May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

| Chemical Name             | Algae/Aquatic Plants                            | Fish   | Toxicity to<br>Microorganisms | Crustacea  |
|---------------------------|---|--|-------------------------------|--|
| Ethanol<br>64-17-5        | Not Available                                   | 12.0 - 16.0: 96 h<br>Oncorhynchus mykiss mL/L<br>LC50 static 100: 96 h<br>Pimephales promelas mg/L<br>LC50 static 13400 - 15100:<br>96 h Pimephales promelas<br>mg/L LC50 flow-through                     | Not Available                 | 9268 - 14221: 48 h Daphnia<br>magna mg/L LC50 2: 48 h<br>Daphnia magna mg/L EC50<br>Static |
| o-Phenylphenol<br>90-43-7 | 0.85: 72 h Desmodesmus<br>subspicatus mg/L EC50 | 3.4: 96 h Pimephales<br>promelas mg/L LC50<br>flow-through 2.74: 96 h<br>Lepomis macrochirus mg/L<br>LC50 2.75: 96 h<br>Oncorhynchus mykiss mg/L<br>LC50 5.8: 96 h Poecilia<br>reticulata mg/L LC50 static | Not Available                 | 1 - 2.5: 48 h Daphnia magna<br>mg/L EC50 Static  |

| Persistence and Degradability: | No information available. |  |
|--------------------------------|---------------------------|--|
| Bioaccumulation:               | No information available. |  |

Other Adverse Effects:

No information available.

## **13. DISPOSAL CONSIDERATIONS**

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations. **Contaminated Packaging:** Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with federal, state and local regulations.

## **14. TRANSPORT INFORMATION**

| UN/ID No:UN1950Proper Shipping Name:<br>Hazard Class:AerosolsSpecial Provisions:2.1This product meets the exception requirements of section 49 CFR 173.306 as a limited<br>quantity and may be shipped as a limited quantity.<br>Shipping descriptions may vary based on mode of transport, quantities, package size,<br>and/or origin and destination. Check with a trained hazardous materials transportation<br>expert for information specific to your situation.IMDG:<br>UN/ID No:UN1950Proper Shipping Name:<br>Hazard Class:AerosolsHazard Class:<br>Hazard Class:2.1Additional information:Limited Quantity | DOT:                    |  |
|---|-------------------------|--|
| Hazard Class:       2.1         Special Provisions:       This product meets the exception requirements of section 49 CFR 173.306 as a limited quantity and may be shipped as a limited quantity.         Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.         IMDG:       UN1950         Proper Shipping Name:       Aerosols         Hazard Class:       2.1  | UN/ID No:               | UN1950   |
| Special Provisions:       This product meets the exception requirements of section 49 CFR 173.306 as a limited quantity and may be shipped as a limited quantity. Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.         IMDG:       UN1950         Proper Shipping Name:       Aerosols         Hazard Class:       2.1  | Proper Shipping Name:   | Aerosols   |
| quantity and may be shipped as a limited quantity.         Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.         IMDG:       UN1950         Proper Shipping Name:       Aerosols         Hazard Class:       2.1   | Hazard Class:           | 2.1  |
| UN/ID No:UN1950Proper Shipping Name:AerosolsHazard Class:2.1  | Special Provisions:     | quantity and may be shipped as a limited quantity.<br>Shipping descriptions may vary based on mode of transport, quantities, package size,<br>and/or origin and destination. Check with a trained hazardous materials transportation |
| Proper Shipping Name:     Aerosols       Hazard Class:     2.1  | IMDG:                   |  |
| Hazard Class: 2.1   | UN/ID No:               | UN1950   |
|   | Proper Shipping Name:   | Aerosols   |
| Additional information: Limited Quantity  | Hazard Class:           | 2.1  |
|   | Additional information: | Limited Quantity   |

## **15. REGULATORY INFORMATION**

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

## SARA 313

This product does not contain listed substances above the "de minimus" level

#### SARA 311/312 Hazard Categories

| Acute Health Hazard:<br>Chronic Health Hazard: | Yes<br>No |
|--|-----------|
| Fire Hazard:                                   | Yes       |
| Sudden release of pressure hazard:             | No        |
| Reactive Hazard:                               | No        |

#### **California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

## EPA Pesticide Registration Number: 5741-22

#### **EPA Statement:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### EPA Pesticide Label:

Warning. Causes substantial but temporary eye injury. Harmful if absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

## **16. OTHER INFORMATION**

| NFPA                                    | Health Hazards: 1        | Flammability: 4     | Instability: 0      | Special: * |
|---|--------------------------|---------------------|---------------------|------------|
| HMIS                                    | Health Hazards: 1        | Flammability: 3     | Physical Hazards: 2 |            |
| Revision Date:<br>Reasons for Revision: | 02-Jul-201<br>Section 2, | 8<br>3, 4, 7 and 11 |                     |            |

#### **Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**