



Great Western Supply Co.

# Safety Data Sheet

## GW Brand Base Coat Remover

### Section 1. Identification

Product Identifier	GW Brand Base Coat Remover
Synonyms	N/A
Manufacturer Stock Numbers	GW-5-BCR
Recommended Use	Stripping Floor Finishes
Uses Advised Against	N/A
Manufacturer Contact Address	Great Western Supply Co. 116 E. 53rd Street Davenport, Iowa 52806
Manufacturer Phone	(563) 445-6644
Emergency Phone	(800) 535-5053

### Section 2. Hazards Identification

Classification	ACUTE TOXICITY - DERMAL - Category 5 ACUTE TOXICITY - ORAL - Category 5 EYE DAMAGE/IRRITATION - Category 2B
----------------	---

Signal Word Warning

Pictogram



Hazard Statements	May Cause eye irritation May be harmful if swallowed. May be harmful in contact with skin.
-------------------	---

Precautionary Statements

Response	If eye irritation persists, get medical attention. If swallowed, immediately call a poison control center/doctor.
Prevention	Wash hands thoroughly after handling. Wear protective gloves/protective clothing eye protection/face protection.
Storage	Store in a dry place. Store in closed container. Store in well ventilated place.
Disposal	Dispose in accordance with federal, state, and local laws.
Ingredients of Unknown Toxicity	0%
Hazards not Otherwise Classified	No Data Available

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
141-43-5	Ethanolamine	10-30% 3ppm
111-76-2	2-Butoxyethanol	10-50% 25 ppm

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-Aid Measures

Eye	Irrigate the eye(s) immediately with water for 10 minutes. Remove contact lenses. Get medical attention if irritation persists.
Skin	Wash off in flow of water or shower. Wash clothing before reuse.
Inhalation	Remove to fresh air if effects occur. If respiration stops, give mouth to mouth resuscitation. Administer oxygen if available. Call physician and/or transport to medical facility.
Ingestion	Seek medical attention. Unless advised otherwise, induce vomiting by giving either syrup of ipecac followed by two glasses of water or by sticking finger down throat. Do not give anything by mouth if the person is drowsy, unconscious or has no gag reflex.

### Section 5. Fire Fighting Measures

Suitable Extinguishing Media	Foam, carbon dioxide or dry chemical
Unsuitable Extinguishing Media	N/A
Fire Fighting Instructions	Wear self-contained breathing apparatus with full-face respirator operated in

pressure-demand or other positive pressure mode when fighting fires.

## Section 6. Accidental Release Measures

### SMALL SPILLS

Contain material, and recover with absorbent material if able.

### LARGE SPILLS

Stop discharge, if it can be performed safely, and contain material. Recover with a pump or vacuum, or use absorbent material. Place contaminated material in a suitable container for disposal. Do not flush to sewer, stream, or other bodies of water.

## Section 7. Handling and Storage

### Storage

Keep away from food and drinking water. Keep container closed to prevent drying out. Store in a cool place in original container and protect from sunlight.

### Handling

Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling.

## Section 8. Exposure Controls / Personal Protection

### Occupational Exposure Limits

Ingredient Name

ACGIH TLV

OSHA PEL

STEL

### Personal Protective Equipment

Googles, gloves, face shield

Eyes: Safety glasses or goggles.

Skin: Nitrile or polyethylene gloves and aprons. Do not use cotton.

Ventilation: Positive down-draft exhaust ventilation should be provided to maintain vapor concentration below TLV.

Respiratory: Not available

## Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Clear
Odor	Typical Butyl Odor
Odor Threshold	N/A
Solubility	Complete
Partition Coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	0.987
Percent Volatile	100%
Density lbs/Gallon	N/A
lbs/Cubic Foot	N/A
Flash Point	N/A
FP Method	N/A
pH	N/A
Melting Point	N/A
Boiling Point	212 F
LEL	N/A
UEL	N/A
Evaporation Rate	Slower than n-Butyl Acetate
Flammability	N/A
Decomposition Temperature	N/A
Auto-Ignition Temperature	N/A
Vapor Pressure	Not Determined
Vapor Density	Less than Air

## Section 10. Stability and Reactivity

### Stability

Chemical Stability: STABLE

Conditions to avoid: Temperature Extremes

Incompatibility: Avoid strong oxidizing agents.

Hazardous Decomposition: Will not occur

Hazardous Polymerization: Will not occur

## Section 11. Toxicological Information

### Toxicological Information

Primary route(s) of entry: Skin contact/absorbtion and inhalation

Signs and symptoms of Overexposure: Gastrointestinal irritation (nausea, vomiting, diarrhea), irritation to nose, throat, and respiratory tract.

Target Organ Effects: None expected.

IMMEDIATE HEALTH EFFECTS:

EYES: Exposure may cause noticable pain, and severe irritation.

SKIN: Exposure may cause mild skin irritation. Prolonged or repeated exposure may dry the skin. Symptoms may include redness, burning, drying and cracking and skin burns. Additional symptoms of skin contact may include: allergic

reaction. Skin absorption is possible, but harmful effects are not expected from this route of exposure under normal handling and use.

INHALATION: Exposure to vapor or mist is possible. Short term inhalation is not likely to cause harmful effects: breathing large amounts may be harmful.

Symptoms are more typically seen at air concentrations exceeding the recommended exposure limits.

INGESTION: Single dose oral toxicity is low. Swallowing small amounts during normal handling is not likely to cause harmful effects: swallowing large amounts may be harmful.

CARCINOGENIC INFORMATION: This material is not listed as a carcinogen by IARC, NTP, or OSHA

LONG TERM EFFECTS: No data available.

## Section 12. Ecological Information

No Data Available

## Section 13. Disposal

**Waste Disposal Method** For proper disposal of waste, refer to federal and state regulations.

## Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	N/A
DOT Classification	Non Hazardous
Packing Group	N/A

## Section 15. Regulatory Information

**Regulatory Statement** This product contains 2-Butoxyethanol, which is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and of 40 CFR372.

## Section 16. Other Information

**Revision Date** 09/21/15

**DISCLAIMER** Great Western Supply Co. believes that the information in this literature is an accurate description of the typical characteristics and/or uses of the product, but it is your responsibility to thoroughly test the product in your specific application to determine its performance, efficiency, and safety. Great Western Supply Co. provides the sole warranty that the product will meet our current sales specifications. Your exclusive remedy and Great Western Supply Co. only liability for breach or warranty is limited to refund of purchase price or replacement of any product shown to be other than as warranted, and Great Western Supply Co. expressly disclaims any liability for incidental or consequential damages.